

BIDS AND AWARDS COMMITTEE

BID BULLETIN No. 25 s. 2022 21 November 2022

Projects:

Competitive Bidding:

- 1. Supply and Delivery of Chlorine Powder
- 2. Vessel Monitoring System (Patrol Boat and Drone)
- 3. Construction of Underground Cabling (Stage 4)
- 4. Improvement of Admin. Offices
- 5. Vessel Monitoring System (Vessel Communication System)

Date of Bid Opening: 28 November 2022

TO ALL PROSPECTIVE BIDDERS:

No.	Project	Inquiry/Clarifications	Response
1	Vessel Monitoring System (Patrol Boat and Drone)	Can the "Privacy Impact Assessment" requirement be removed?	Yes, the Privacy Impact Assessment is no longer required for this project.
		What is "Technical Assistance Escalation Matrix for System Concerns" requirement?	of the technical engineer and other
		Who will secure the permits from the National Telecommunications Commission (NTC)?	The winning bidder shall secure these permits. Cost of securing permits are inclusive in the bid amount.





No.	Project	Inquiry/Clarifications	Response
1	Vessel Monitoring System (Patrol Boat and Drone)	Request for a photo of the patrol boat to see the design of the boat.	There is no specific design/drawing of the boat required, as long as it meets the specification as indicated in Section IV of the technical specifications. Bidders shall submit together with their bid a patrol boat design with enclosed cabin on the deck for the operator and crew. The cabin must be a rigid structure.
		What is DNV type approved fiber/resin? Is this a certification?	DNV is a European standard for hull materials. It is recommended but the bidder may opt for other materials with equivalent or higher quality in accordance with the MARINA standards.
		Is the drone Mavic 3?	There is no preference to any particular brand, as long as it meets the minimum specifications. It is important to note however that the drone must be equipped with collision avoidance, night mode capability and is water resistant.
:		Clarify "submit 4 year preventive maintenance plan with costs after the first year of acceptance".	The bidder is required to submit a monthly preventive maintenance plan for the next 4 years (Year 2 to Year 5) for the patrol boat.
		1	The first year preventive maintenance, including the costs associated thereto, is part of the project and will be shouldered by the winning bidder. After one (1) year, the succeeding cost of the preventive maintenance will be shouldered by the AFAB. The preventive maintenance plan will be the basis of the AFAB for future upkeep of the Patrol Boat.

İ

.

No.	Project	Inquiry/Clarifications	Response
1	Vessel Monitoring System (Patrol Boat and Drone)	What is a schematic diagram?	This refers to the electric wirings, plumbing system, and other systems of the patrol boat.
2	Construction of Underground Cabling (Stage 4)	PCAB License for this project.	Below is the revised PCAB License for the project: A. Size Range: Small B B. License Category: C & D C. Single Largest Project: Php 10,064,562.4 D. Similar Project: Underground Cabling E. Allowable Range of Contract Cost: Up to 30 Million F. Classification: Category C & D, SP-EE (Electrical Works)
		Should the bid documents be in bookbound with hard cover or any type of bookbinding?	specifically required, as long as the bidder shall ensure that the bid
3	Improvement of Admin. Offices	What is the total area of the project?	The total area of the project 2,537.58 sq.m.
		Can the specialty requirement in the PCAB License be removed?	, , , , ,

No.	Project	Inquiry/Clarifications	Response
3	Improvement of Admin. Offices		Provision of Voice and Data Requirements Provision of Surveillance Equipment Requirement Provision of Sprinkler System
		PCAB License for this project.	Below is the revised PCAB License for the project:
			A. Size Range: Small B
ı			B. License Category: C & D
			C. Single Largest Project: ≤ 15 Million
			D. Similar Project: Building Improvements/Renovation of three (3)-storey Building with Installation of Fire Protection, Communication Facilities and Surveillance Equipment
			E. Allowable Range of Contract Cost: Up to 30 Million
			F. Classification: General Building (GB1)
		For Sheet No. 3A7.1, is AVR area not included in the ceiling works since it is not included in layout and plans?	areas to be restored during the installation of sprinkler system. "Restoration Works" item in which the
			Ceiling for the AVR is included in BOQ item 10.
:		Tiling layout in the 3rd floor Plan.	Refer to Sheets No. 3A2, 3A6.10, 3A6.11, 3A6.18, 3A6. 19, 3A6.20, 3A6.21, and 3A6.22 of the Plans.

. .

٠

No.	Project	Inquiry/Clarifications	Response
3	Improvement of Admin. Offices	What material shall be used in the BOQ and detailed estimates for "Ceiling Works"? What material shall be	indicated in the Plans. Use 12mm Fiber Cement Board as
		used in the BOQ and detailed estimates for "Partition: a. wood cladding"?	indicated in the BOQ.
		Request for pipe schedule since it is missing in Sheet 3M3. Also, the plan said to use 75mm dia. Pipe for cross mainline pipe but in the BOQ the largest BI Pipe is 50mm.	System, Piping Schedule is: 1 75mm BI schd. 40 2 65mm BI schd. 40
4	Vessel Monitoring System (Vessel Communication System)		A separate bid bulletin shall be released for this project.

All terms, conditions and instructions to bidders specified in the Bidding Documents inconsistent with this Bid Bulletin are hereby superseded and modified accordingly.

For guidance and information of all concerned.

CHARLES M. RAMONES

BAC-Chairperson

(Name of Company of Prospective Bidder) (Address of Prospective Bidder)

BILL OF QUANTITIES

Contract Name : **IMPROVEMENT OF ADMINISTRATIVE OFFICES**Location of Contract : **Phase II, Freeport Area of Bataan, Mariveles, Bataan**

Project Duration : 180 C.D.

Required Equipment: 1 Unit - Dump Truck 1 unit - Cutting Outfit and Accessories

2 units - Chipping Gun/Equipment

Item					
No.	Description	Unit	Quantity	Unit Price	Amount
(1)	(2)	(3)	(4)	(5)	(6)
I	FACILITIES FOR THE ENGINEERS				
1.1.	Provision of Progress Photographs	e.a.	100.00	in words:	in words :
	Provision for Progres Photographs				
				in figures :	in figures :
II	OTHER GENERAL REQUIREMENTS		100.00		
2.1.	Occupational Safety and Health Program	days	180.00	in words :	in words :
2.2	Mobilization/Demobilization	1.0	1.00	in figures :	in figures :
2.2.	Middilization/Demobilization	1.s.	1.00	in words :	in words :
				in figures :	in figures :
23	Project Billboard and Signboard	e.a.	1.00	in words:	in words :
2.0.	Troject biliboard and Signboard	c.a.	1.00	in words .	in words .
	Includes the following:				
	Safety Signages				
	PPE's				
	Medicine kits			in figures :	in figures :
III	PREPARATION WORKS			U	0
	Demolition/Chipping/Removal Works including Hauling on				
	Walls, Ceiling, Flooring, Windows, Doors, 2- Old chiller units				
3.1.	and existing Ceiling electrical lines/pipes, and steel /aluminum	sq.m.	1,936.82	in words:	in words :
	tubing				
	2units Chipping Gun (For Tunr-Over at the Authority after completion of the				
	project)				
	Cutting Outfit with accessories and refill				
	26 707 1		40122	in figures :	in figures :
3.2.	Masonry Works	sq.m.	184.33	in words :	in words :
	W CVP				
	4" CHB				
	Cement				
	Sand		<u> </u>	in figures :	in figures :
			7	Total for this page	₱

Name and Signature of Bidder
Name of Company

IV	CIVIL WORKS				
4.1.	Tileworks/Marble Works : Flooring and Walls and Counter Tops	sq.m.	802.22	in words:	in words:
	30cm x60cm Glazed Wall Tiles				
	60cm x60cm Glazed Floor Tiles				
	60cm x60cm Accent Floor Tiles				
	20mm Marble Slab Pre-Cut by counter area				
	20cm-45cm-60cm Ceramic Granite Polished Type - Board Room Rest Room				
	D ('c' TA 1 TA 101 11'		1000.05	in figures :	in figures :
4.2.	Partition Works : a. Wood Cladding	sq.m.	1208.85	in words:	in words :
	See plans - Used : Fiber Cement Board, Good Lumber with support of Metal stud as specified in the plans				
	D 44 TA 1 1 C1 TA 1		105 (0	in figures :	in figures :
	Partition Works : b. Glass Works	sq.m.	185.62	in words:	in words :
	See plans- Used: 12mm Thick Glass for Partition with Aluminum framing				
	and supports and Glass Stiffiner, Fixed Glass with wooden supports and			in figures :	in figures :
	Glass with Analok Support for Window Counter Panel				
	Partition Works : c. Phenolic Compact Board Partitions with doors				
	accessorries - Common Comfort Rooms	sq.m.	36.71		
				in words:	in words :
	See plans			in figures :	in figures :
4.3	Ceiling Works	sq.m.	917.12	in words:	in words :
	Please see detailed plans and specifications: Used materials with accessories, fittings, supports and clips				
	1/2" Fiber Cement Board				
	1/2" Accoustic Board				
	Carry Channel				
	Accoustic Board				
	Angle Furring				
	Metal Furring			in figures :	in figures :
	0				
4.4	PLUMBING AND SANITARY	sq.m.	81.28	in words:	in words:
	Please see detailed plans and specifications: Used materials with accessories, fittings, supports and hardwares				
	4" PVC Pipe series 600				
	3" PVC Pipe series 600				
	2" PVC Pipe series 600				
	4" PVC Fittings				
	3" PVC Fittings				
	2" PVC Fittings				
	2" G.I. Pipe Sch 40				
	2. G.I. Pipe Fittings Solvent Cement				
	1/2" dia. PN20 PPRC Pipe				
	1/2" x 90 PPRC Elbow				
				in figures :	in figures :
			<u> </u>	1 0	<u> </u>
			-	Total for this page	₽
			TOTA	L AMOUNT	₱

Name and Signature of Bidder
Ü
 Name of Company
realite of Company

V	ARCHITECTURAL WORKS				
5.1	Doors and Windows	set	25.00	in words:	in words:
	Note : All doors with Jamb, accessories (hardwares) and Level				
	Handle with set of keys (3keys/set)				
	90cm x 210cm Wooden Flush Door - Solid Wood	set	2.00		
	with Glass 80cm x 210cm Wooden Flush Door	561	2.00		
	b ASD Pantry/Records Room/Cashier Area	set	4.00		
	70cm x 210cm Wooden Flush Door		2.00		
	- ASD Comfort Rooms	set	2.00		
	90cmx 210cm Steel Panic Door with Mechanism	set	1.00		
	exit adjacent to PGB Area 80cm x 210cm Wooden Flush Door				
	e Common Comfort Rooms	set	2.00		
	80cm x 210cm Wooden Solid Panel Door	set	1.00		
	- Board Room's Comfort Room 80cm x 210cm Wooden Flush Door				
	g Board Room's Pantry	set	1.00		
	90cm x 210cm Wooden Flush Door	set	1.00		
	h IAD Stockroom	361	1.00		
	350cm x 150cm Analok Awning Window Type with Eixed Glass	set	1.00		
	90cm x 210cm Wooden Flush Door - Solid Wood		2.00		
	i with Glass	set	3.00		
	80cm x 210cm Wooden Flush Door	set	1.00		
	k CAD's Pantry 200cm x 210cm Solid Wooden Swing Door				
	-MIS's Repair Room	set	1.00		
	90cm x 210cm Wooden Flush Door - Solid Wood	set	1.00		
	with Glass	561	1.00		
	80cm x 210cm Wooden Flush Door n MIS Pantry	set	1.00		
	80cm x 210cm Wooden Flush Door		4.00		
	o MCM Pantry	set	1.00		
	80cm x 210cm Wooden Flush Door	set	1.00		
	- Comouflage Admin 200cm x 210cm Solid Wooden Swing Door				
	^{q.} -MCM area	set	1.00		
				in figures:	in figures :
5.2	Painting Works	sq.m.	2000.31	in words:	in words:
	Please see Scope of Works: 1 Coating for Primer and 2 Coatings for Finishes				
	7 7 87				
		.,	=	in figures :	in figures :
5.3	Comfort Rooms - Fixtures and Fittings	set/pc	66.65	in words:	in words :
	Units with Fittings, Fixtures and Hardwares Water closet	not.	11.00		
	Water closet Bidet	set pcs	11.00 11.00		
	Kitchen Sink	pcs	6.00		
	Lavatory	pcs	9.00		
	Drain	pcs	19.00		
	Urinal	set	3.00		
	Shower	set	2.00		
	Glass Mirror with aluminum frame and accessories	sq.m.			
	1.875 Board Room -CR 1.25m x 1.5m	1			
	0.648 ASD - Male 0.72m x 0.90m 0.783 - Female 0.87m x 0.90				
	0.783 - Female 0.87m x 0.90 0.9 Common - Male 1.0m x 0.90m				
	1.44 - Female 1.60m x 0.90m	1			
		1		in figures :	in figures :
5.4	Carpet Finishes	sq.m.	204.20	in words:	in words :
	Nylon 6.6 in PU backing Acoustic Impact sound reduction Gauge 1/12 –	•			
	60стх60ст	1		in figures :	in figures :
		<u> </u>	7	Total for this page	 ₱
				L AMOUNT	
			2011		·· •

Name and Signature of Bidder
Name of Company

VI	ELECTRICAL WORKS	lot	1.00	in words:	in words :
6.1	Junctions, Conduits, wiring and wiring devices				
	Utility box 2" x 4" (Flush Mounted)	pcs			
	Junction Box 4" x 4"	pcs			
	GI Tie wire #16	kgs			
	Electrical Tape 3/4" x 20 yards	pcs			
	2 Gang Flash Mounted Universal C.O. w/ grounding	set			
	1 gang Switch with plate	set			
	2 gang Switch with plate	set			
	3 gang switch with plate	set			
	2.0 mm2 THHN CU. Stranded wire	box			
	3.5 mm2 THHN CU. Stranded wire	box			
	5.5 mm2 THHN CU. Stranded wire	box			
	8.0 mm2 THHN CU. Stranded wire	box			
	14.0mm2 THHN CU. Stranded wire	m			
	50.0 mm2 THHN CU. Stranded wire	m			
	80.0 mm2 THHN CU. Stranded wire	m			
	19 mm ø PVC Conduit(with installation accessories)	pcs			
	25.4 mm ø PVC Conduit (with installation accessories)	pcs			
	35 mm ø PVC (with installation accessories)	pcs			
				in figures :	in figures :
	·				
				Total for this page	
			TOT	AL AMOUNT .	₱

	Name and Signature of Bidder
_	Name of Company

2 Circuit Breaker and Lightings	lot	1.00	in words:	in words:
175 AT/ 225 AF MCB 3 pole 25KAIC Min	pcs	1		
200 AT/ 225 AF MCB 3 pole 25KAIC Min		1		
150 AT/ 225 AF MCB 3 pole 25KAIC Min	pcs	1		
60 AT/ 100AF MCB 3 pole 25KAIC Min	pcs	1		
15 ATCricuit Breaker (plug-in)	pcs	10		
30 AT Cricuit Breaker (plug-in)	pcs	12		
40 AT Cricuit Breaker (plug-in)	pcs	23		
50 AT Cricuit Breaker (plug-in)	pcs	15		
60 AT Cricuit Breaker (plug-in)	pcs	1		
Panel Board, Flush Mounted, Nema 1, 1 Main (2 pole) 4Branches (2 pole)	pcs	2		
Panel Board, Flush Mounted, Nema 1, 1 Main (3 pole) 18Branches (2 pole)2 spare (3 pole)	pcs	3		
Square Vertical Downlight Recessed Type pinlight fixture, Color = white	pcs	170		
LED Bulb, 9w, Soft warm, Non-dimmable	pcs	170		
Wide Recessed Louver Type with Aluminum Reflector, 2-T8,- Fixture Only (1200mmx600mmx80mm)	set	133		
Wide Recessed Louver Type with Aluminum Reflector, 2-T8,- Fixture Only (600mmx300mmx80mm)	set	9		
T8, LED 18W, Daylight 1800 lm		267		
T8, LED 9W, Daylight 900 lm	set	25		
T5, LED, Warm white, 9w, with Installation accessories	Set	4		
Ceiling Mounted Exhaust Fan, 10"	set	9		
2 Head Emergency Light, 4.5 AH	set	27		
3x8 watts Led Track lighting with Track bar, soft warm	set	2		
LED exit light double face	set	2	in figures :	in figures :
3 Supply and Installation of Airconditioning Units	set	25.00	in words:	in words:
Installation of 2 Hp Split type ACU Wall Mounted Inverter Type, R32 Freon, 230 Vac, 60 Hz, singel phase, (Includes all installation materials)	unit	17.00		
Installation of 4 Hp Cassette type ACU Ceiling Mounted Inverter Type, R32 Freon, 230 Vac, 60 Hz, single phase (Includes all installation materials)	unit	14.00		
Installation of 3 Hp Split type ACU Wall Mounted Inverter Type, R32 Freon, 230 Vac, 60 Hz, singel phase, (Includes all installation materials)	unt	2.00		
Relocation of ACU outdoor and indoor unit including new copper tubing, rubbr insulation, drain line	unit	7.00		
			in figures :	in figures :
			Total for this page	_
			L AMOUNT	

Name and Signature of Bidder
 Name of Company

PROVISION OF SPRINKLER SYSTEM	sq.m.	2187.27	in words:	in words:
INTERIOR PIPING				
75mm BI schd. 40	lght	2		
65mm BI schd. 40	lght	2		
50mm BI schd. 40	lght	13		
40mm BI schd. 40	lght	28		
32mm BI schd. 40	lght	45		
Supply and Installation of Sprinkler System including Testing and Commisioning				
Recessed Pendent Type	pcs	105		
90ºElbow, Sched.40	-			
25mm BI schd. 40				
32mm BI schd. 40				
40mm BI schd. 40				
50mm BI schd. 40				
T. 61.149				
Tee, Sched.40				
25mm BI schd. 40				
32mm BI schd. 40				
40mm BI schd. 40				
50mm BI schd. 40				
Coupling Reducer , Sched.40				
25mmx15mm				
32mmx25mm				
40mmx32mm				
50mmx40mm				
65mmx50mm				
75mmx65mm				
HANGERS & SUPPORTS				
Caps screw 3/8"x1, Angular Bar 1/4" thnk. X 2" x 6m ,Plain Round Bar 3/8" dia. X 6m,Drill Bit 3/8" Masonry/ BOLTS ETC.				
Testing and Commissioning				
			in figures :	in figures :
PROVISION OF VOICE AND DATA REQUIREMENTS	lot	1.00	in words:	in words:
Please see plans and scope of works for the materials				
			in figures.	in figures .
			in figures : Total for this page	in figures :
			AL AMOUNT	

Name and Signature of Bidder	
Name of Company	

	AUXILIARY WORKS Provision of Reception area with counters, background and accessories	lot	1.00	in words:	in words:
9.1	Supply and Installation of 1-Unit Counter and Backdrop as per plan	Ю	1.00	iii words .	III Words .
	details : Please see plans				
				in figures :	in figures :
9.2	Provision of Stainless FAB's Graphic Logo	lot	1.00	in words:	in words :
	Provision of AFAB's Graphic Logo				
	(Coated Metal 3mm Thickness x 1.10m diameter approx. as per color coded and metal design- as Specifications)				
				in figures :	in figures :
9.3	Provision of Built-in Cabinets	sq.m	273.60	in words:	in words:
	Please see plans				
				in figures :	in figures :
0.4	Provision of Surveillance Equipment at the Third Floor	lot	1.00	in figures .	in figures .
9.4	Please see scope and plans	101	1.00		
	There we scope with purity				
				in figures :	in figures :
10.0	RESTORATION WORKS	lot	1.00	in words:	in words:
	Please see scope and plans				
	Cement, Sand, 1"x8" base/upper Board, 1/2" Marine Plywood 1/2" Accoustic Board, 1" Wood Cornice with groove, Carrying Channel Furring, Hardwares				
				in figures:	in figures :
				Total for this page	P
			TOTA	AL AMOUNT	₽
		•	•		

Name and Signature of Bidder
Name of Company